

Facility Permit and Identifier

Statute	System	Source ID	Facility Name	Street Address	City	State	Zip
CWA	ICP	WV0114618	HUNTINGTON ALLOYS CORP.	3200 RIVERSIDE DRIVE	HUNTINGTON	WV	25705

Facility & Permit Characteristics

Source ID	Facility Status	Permit Effective Date	Permit Expiration Date	Facility Lat/Long	SIC Code
WV0114618	Active Minor	06-01-2013	04-23-2018		3356

If the CWA permit is past its expiration date, this normally means that the permitting authority has not yet issued a new permit. In these situations, the expired permit is normally administratively extended and kept in effect until the new permit is issued.

Watershed Conditions

Permit ID	Watershed ID	Receiving Waters	Combined Sewer System?	Near Drinking Water Intake?
WV0114618	05070102	UT GUYANDOTTE	No	Yes

Category 5 Characteristics

Database	Waterbody Entity ID	Waterbody Name	Cycle Year	Category 5 Listing?
WATERS	No Spatial Overlap	No Spatial Overlap	No Spatial Overlap	No Spatial Overlap

Category 5 Impairment Causes

Database	Waterbody Entity ID	Waterbody Name	Cycle Year	Cause for Impairment	Does TMDL exist?
WATERS	No Spatial Overlap	No Spatial Overlap	No Spatial Overlap	No Spatial Overlap	No Spatial Overlap

Possible Facility Discharges Related to Category 5 Water Impairment

Database	Waterbody Entity ID	Waterbody Name	Cycle Year	Matched Category 5 Impairment Cause Name Based on Typical Pollutant Criteria	Matched Parameter Name
WATERS	No Spatial Overlap	No Spatial Overlap	No Spatial Overlap	No Spatial Overlap	No Spatial Overlap